




Supera[®]
Granito



600X1200MM

STELLA
Collection

Our Focus

Excellence in Every
Detail, Commitment
in Every Tile.

We Produce 600x1200mm Tiles

Our tiles are more than just a beautiful addition to your space—they are a lasting investment in quality. Each tile is carefully crafted to combine sophisticated design with unmatched strength, ensuring that your floors and walls remain stunning for years to come. Whether you're creating a lavish bathroom, a stylish kitchen, or an elegant living area, our tiles are built to withstand the test of time. Experience the perfect balance of luxury and durability, where every step you take is on a surface that embodies both beauty and resilience.

**Step into Luxury,
Stay for the Durability.**

www.superagranito.com



Supera[®]
Granito





Application Area

Tiles are versatile and suitable for a wide range of applications, enhancing both functionality and aesthetics. Adding a touch of elegance and durability to homes and commercial spaces. Ideal for kitchens, bathrooms, living rooms, and outdoor patios, tiles provide a seamless and stylish finish for any area.



Office Area



Hospital Area



Restaurant



Living Area



Airport Area



Reception Area





UV Resistant



Chemical Resistant



Easy To Clean



Eco Friendly



Temperature Resistance



Bacteria Free

Technical Features

Tiles are versatile and suitable for a wide range of applications, enhancing both functionality and aesthetics, adding a touch of elegance and durability to homes and commercial spaces. Ideal for kitchens, bathrooms, living rooms, and outdoor patios, tiles provide a seamless and stylish finish for any area. The smooth surface enhances light reflection.


Supera[®]
Granito



PRODUCT INDEX

 **IT'S CLICKABLE CATALOGS**

														
AKOTA BROWN	AKOTA CREMA	AKOTA GREY	AKOTA GRIS	BONITA CREMA	BONITA GREY	BRECCIA GOLD	DOLLO CREMA	DOLLO GOLD	DOLLO GREY	ENDURA BEIGE	ENDURA CAFE	ENDURA BIANCO	ENDURA GERY	FLAGE WHITE
														
GIVOK	ITALIO CREMA	ITALIO COCO	ITALIO GREY	ITALIO NORA	KRAFTON BEIGE	KRAFTON BIANCO	KRAFTON BROWN	KRAFTON CREMA	KRAFTON GREY	NATROS	NULICO GREY	NULICO MID	ODIN CREMA	ODIN GREY
														
PENTAGO	SOVANI	QUROS BEIGE	QUROS GREY	SPERON	YAJOK	TESLA BEIGE	TESLA GREY	URECO CREMA	URECO NERO	URECO WHITE	WELEX	YETINA CREM	YETINA GREY	CUBA SELVA



TERAA
PEARL

TERAA
BROWN

TERAA
CREMA

TERAA
NERO

TERAA
SMOKE

LOGAN
GREY

LOGAN
HONEY

OLID
WHITE

OLID
NERO

OLID
BROWN



AKOTA BROWN

600X1200MM
GLOSSY SURFACE
04 RANDOM



AKOTA CREMA

600X1200MM
GLOSSY SURFACE
04 RANDOM



BACK TO INDEX



AKOTA BROWN



AKOTA GREY

600X1200MM
GLOSSY SURFACE
04 RANDOM



AKOTA GRIS

600X1200MM
GLOSSY SURFACE
04 RANDOM



BACK TO INDEX



AKOTA GRIS



BONITA CREMA

600X1200MM
GLOSSY SURFACE
04 RANDOM



BONITA GREY

600X1200MM
GLOSSY SURFACE
04 RANDOM



BACK TO INDEX



BRECCIA GOLD

600X1200MM
GLOSSY SURFACE
04 RANDOM



DOLLO CREMA

600X1200MM
GLOSSY SURFACE
04 RANDOM



BACK TO INDEX



BRECCIA GOLD



DOLLO GOLD

600X1200MM
GLOSSY SURFACE
04 RANDOM



DOLLO GREY

600X1200MM
GLOSSY SURFACE
04 RANDOM



BACK TO INDEX




DOLLO GREY



ENDURA BEIGE

600X1200MM
GLOSSY SURFACE
04 RANDOM



ENDURA CAFE

600X1200MM
GLOSSY SURFACE
04 RANDOM



BACK TO INDEX



ENDURA CAFE



ENDURA BIANCO

600X1200MM
GLOSSY SURFACE
04 RANDOM




ENDURA GERY

600X1200MM
GLOSSY SURFACE
04 RANDOM



BACK TO INDEX



FLAGE WHITE

600X1200MM
GLOSSY SURFACE
04 RANDOM



GIVOK

600X1200MM
GLOSSY SURFACE
05 RANDOM






GIVOK



ITALIO CREMA

600X1200MM
GLOSSY SURFACE
04 RANDOM



ITALIO COCO

600X1200MM
GLOSSY SURFACE
05 RANDOM




BACK TO INDEX



ITALIO GREY

600X1200MM
GLOSSY SURFACE
04 RANDOM



ITALIO NORA


600X1200MM
GLOSSY SURFACE
05 RANDOM



BACK TO INDEX




ITALIO GREY



KRAFTON BEIGE

600X1200MM
GLOSSY SURFACE
06 RANDOM



KRAFTON BIANCO


600X1200MM
GLOSSY SURFACE
06 RANDOM



BACK TO INDEX




KRAFTON BIANCO



KRAFTON BROWN

600X1200MM
GLOSSY SURFACE
06 RANDOM




KRAFTON CREMA

600X1200MM
GLOSSY SURFACE
06 RANDOM




BACK TO INDEX



KRAFTON GREY

600X1200MM
GLOSSY SURFACE
06 RANDOM



NATROS

600X1200MM
GLOSSY SURFACE
03 RANDOM



BACK TO INDEX



KRAFTON GREY



NULICO GREY

600X1200MM
GLOSSY SURFACE
04 RANDOM



NULICO MID

600X1200MM
GLOSSY SURFACE
04 RANDOM



BACK TO INDEX




NULICO MID



ODIN CREMA

600X1200MM
GLOSSY SURFACE
04 RANDOM





ODIN GREY

600X1200MM
GLOSSY SURFACE
04 RANDOM



BACK TO INDEX



PENTAGO

600X1200MM
GLOSSY SURFACE
04 RANDOM



SOVANI

600X1200MM
GLOSSY SURFACE
04 RANDOM





PENTAGO



QUROS BEIGE

600X1200MM
GLOSSY SURFACE
04 RANDOM



QUROS GREY

600X1200MM
GLOSSY SURFACE
04 RANDOM



BACK TO INDEX



SPERON

600X1200MM
GLOSSY SURFACE
04 RANDOM



YAJOK

600X1200MM
GLOSSY SURFACE
04 RANDOM



BACK TO INDEX



TESLA BEIGE

600X1200MM
GLOSSY SURFACE
04 RANDOM



TESLA GREY

600X1200MM
GLOSSY SURFACE
04 RANDOM



BACK TO INDEX



TESLA GREY



URECO CREMA

600X1200MM
GLOSSY SURFACE
05 RANDOM



URECO NERO

600X1200MM
GLOSSY SURFACE
05 RANDOM




BACK TO INDEX



URECO WHITE

600X1200MM
GLOSSY SURFACE
05 RANDOM



WELEX

600X1200MM
GLOSSY SURFACE
04 RANDOM



BACK TO INDEX



URECO WHITE



YETINA CREMA

600X1200MM
GLOSSY SURFACE
04 RANDOM



YETINA GREY


600X1200MM
GLOSSY SURFACE
04 RANDOM



BACK TO INDEX




ALURE GOLD



CUBA SELVA

600X1200MM
GLOSSY SURFACE
04 RANDOM



TERAA PEARL

600X1200MM
GLOSSY SURFACE
04 RANDOM



BACK TO INDEX



TERAA BROWN

600X1200MM
GLOSSY SURFACE
04 RANDOM



TERAA CREMA


600X1200MM
GLOSSY SURFACE
04 RANDOM



BACK TO INDEX



TERAA BROWN



TERAA NERO

600X1200MM
GLOSSY SURFACE
04 RANDOM





TERAA SMOKE

600X1200MM
GLOSSY SURFACE
04 RANDOM




BACK TO INDEX



LOGAN GREY

600X1200MM
GLOSSY SURFACE
04 RANDOM



LOGAN HONEY

600X1200MM
GLOSSY SURFACE
04 RANDOM



BACK TO INDEX





LOGAN HONEY



OLID WHITE

600X1200MM
GLOSSY SURFACE
03 RANDOM





OLID NERO

600X1200MM
GLOSSY SURFACE
03 RANDOM



BACK TO INDEX



OLID BROWN

600X1200MM
GLOSSY SURFACE
0 RANDOM



TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO13006:2018/ EN14411 Gr.Bla	MEAN VALUE	TEST METHOD
Regulatory Properties			
Deviation in length and width	± 0.30 % (±1.00mm)	± 0.10 %	ISO 10545-2
Deviation in thickness	± 5.00 % (±0.50mm)	± 4.00 %	ISO 10545-2
Straightness in side	± 0.30 % (±0.80mm)	± 0.10 %	ISO 10545-2
Rectangularity	± 0.30 % (±1.50mm)	± 0.10 %	ISO 10545-2
Surface flatness central curvature	± 0.40 % (±1.80mm)	± 0.20 %	ISO 10545-2
Surface flatness edge curvature	± 0.40 % (±1.80mm)	± 0.20 %	ISO 10545-2
Surface flatness warpage	± 0.40 % (±1.80mm)	± 0.10 %	ISO 10545-2
Surface quality	> 95% defects free	> 95% defects free	ISO 10545-2
Small Color Difference(For Plain Color)	ΔE < 1.00	ΔE < 0.30	ISO 10545-16
Glossiness (Polished)	as per mfg.	Gloss Value > 90	Glossmeter 60°
Glossiness (Matt)	as per mfg.	3° < GLOSS < 7°	Glossmeter 60°
Glossiness (satin/Polish)	as per mfg.	7° < GLOSS < 18°	Glossmeter 60°
Structural Properties			
Water absorption	0.50 % ≤ Ev ≤ 3.00 %	0.060 % ≤ Ev ≤ 3.00 %	ISO 10545-3
Bulk density	as per mfg.	> 2.28 gm/c c	ISO 10545-3
Massive Mechanical Properties			
Modulus of rupture	Min. 30.0 N/mm ²	Min. 35.0 N/mm ²	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 700.0 N	Min. 1000.0 N	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 1100.0 N	Min. 1300.0 N	ISO 10545-4
Breaking strength thickness ≥7.5(For ≥15mm)	Min. 1100.0 N	Min. 1800.0 N	ISO 10545-4
Surface Mechanical Properties			
MOH'S hardness	as per mfg.	Polished Min 4* / Satin, Polish & Matt Min 6	BS EN 15771
Surface abrasion resistance	as per mfg.	Polish Min. Class 2, Satin & Polish Min. Class 3, & Matt Min. Class 4	ISO 10545-7
Deep abrasion resistance	Max. 175mm ³	Max. 132mm ³	ISO 10545-6
Thermal Hydrometric Properties			
Moisture expansion	Max. 0.06%(0.6mm/m)	0.02mm/m	ISO 10545-10
Thermal expansion(COE) at 100°C	as per mfg.	Max. 6.0 x 10 ⁻⁶	ISO 10545-8
Thermal shock resistance	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-9
Impact resistance(COR)	Min. 0.55	Min. 0.55	ISO 10545-5
Frost resistance	as per mfg.	Frost Proof	ISO 10545-12
Chemical Properties			
Resistance to staining glazed	Min. Class 3	Min. Class 4	ISO 10545-14
Resistance to household chemicals & swimming pool salts glazed	Min. Class GB	Min. Class GA	ISO 10545-13
Resistance to low concentrate acid and alkalis glazed	as per mfg.	Min. Class GLA**	ISO 10545-13
Resistance to high concentrate acid and alkalis unglazed	as per mfg.	Min. Class GHB**	ISO 10545-13
Safety Properties			
Skid resistance (COF -WET PENDULAM)##	as per mfg.	Glossy P0(<12), Satin, Polish ≥P1(12-24) Matt ≥P2(25-34)	BS 7976-2
Slip resistance - (Satin / Matt (DCOF) (R value)##	as per mfg.	R9 to R13**	DIN 51130
Fire resistance	as per mfg.	Fire Proof	N.A.

PACKING DETAILS

PRODUCT	SIZE	THICKNESS	TILES / BOX	COVER AREA / BOX	WEIGHT
GVT-PGVT	600X 1200mm	9mm (Approx)	2Pcs	1.44 sq. mtr	27 KG (Approx)

Instruction

This is for all our customers to inform you that in bookmatch & 3d designs that will not be 100% joint free
There will be a minimum variation around 5 mm due to some technical reasons. So we will not entertain any complain regarding this



Supera Granito LLP.

Survey No. 25/p2, 26, 27/p1,27/p2,27/p3,28/p 1 And 28/p2 ,
8-a, National Highway, Sartanpar Road,
At Sartanpar, Wankaner, Gujarat - 363621.

☎ +91 81417 13777

✉ info@superagranito.com

🌐 www.superagranito.com