

Supera[®]

Granito



| 600X1200MM

STELLA
Collection

Our Focus

Excellence in Every
Detail, Commitment
in Every Tile.

We Produce 600x1200mm Tiles

Our tiles are more than just a beautiful addition to your space—they are a lasting investment in quality. Each tile is carefully crafted to combine sophisticated design with unmatched strength, ensuring that your floors and walls remain stunning for years to come. Whether you're creating a lavish bathroom, a stylish kitchen, or an elegant living area, our tiles are built to withstand the test of time. Experience the perfect balance of luxury and durability, where every step you take is on a surface that embodies both beauty and resilience.

**Step into Luxury,
Stay for the Durability.**

www.superagranito.com



Supera[®]
Granito





Application Area

Tiles are versatile and suitable for a wide range of applications, enhancing both functionality and aesthetics. Adding a touch of elegance and durability to homes and commercial spaces. Ideal for kitchens, bathrooms, living rooms, and outdoor patios, tiles provide a seamless and stylish finish for any area.



Office Area



Hospital Area



Restaurant



Living Area



Airport Area



Reception Area





UV Resistant



Chemical Resistant



Easy To Clean



Eco Friendly



Temperature Resistance



Bacteria Free

Technical Features

Tiles are versatile and suitable for a wide range of applications, enhancing both functionality and aesthetics, adding a touch of elegance and durability to homes and commercial spaces. Ideal for kitchens, bathrooms, living rooms, and outdoor patios, tiles provide a seamless and stylish finish for any area. The smooth surface enhances light reflection.

Supera[®]
Granito




PRODUCT INDEX

 **IT'S CLICKABLE CATALOGS**


														
AMRON HARBOR	ANTISKY WHITE	AUSTIN BIANCO	AUSTIN GREY	AVORIO BEIGE	BENTLEY WHITE	CASTANO IVORY	CASTANO NATURAL	CASTEL SEND	CHARCOAL BROWN	CHAVROL MIX	CRISTA CHOCO	DISNEY NATURAL	DISNEY PEARL	DYNA CAMEL
														
ELICA SILVER	ELICA WHITE	FUSION GOLDEN BROWN	HERMES BEIGE	HERMES BROWN	HERMES DOVE	HERMES NERO	JORDEN BLACK	LEGACY CREMA	LEVIN BROWN	LEVIN CHOCO	LUMOS IVORY	LUMOS MUD	MAIMOON ONYX BROWN	MALVIN LEAF
														
MARPOLO RED	MIJARES BEIGE	MIJARES NATURAL	MINES GREY	PEACH CREMA	PERSIAN GREY	PERTH ONYX GREY	REPEN SKY	REPEN WHITE	ROSSA GREY DARK	ROSSA GREY LIGHT	ROSSIL MARFILA	ROWER GREY	SALTOS GOLD	SANTIAGO LIGHT

PRODUCT INDEX

 **IT'S CLICKABLE CATALOGS**



SISCON
FOREST



TRESORA
GREY
DECOR



TRESORA
CHOCO
DECOR




TRINITY
BEIGE




TRINITY
BIANCO



TRINITY
BROWN




TRINITY
GREY



AMRON HARBOR

600X1200MM
GLOSSY SURFACE
04 RANDOM




ANTISKY WHITE

600X1200MM
GLOSSY SURFACE
05 RANDOM





BACK TO INDEX



AUSTIN BIANCO

600X1200MM
GLOSSY SURFACE
04 RANDOM



AUSTIN GREY

600X1200MM
GLOSSY SURFACE
04 RANDOM



BACK TO INDEX





AUSTIN GREY



AVORIO BEIGE

600X1200MM
GLOSSY SURFACE
04 RANDOM



BENTLEY WHITE

600X1200MM
GLOSSY SURFACE
03 RANDOM





CASTANO IVORY

600X1200MM
GLOSSY SURFACE
04 RANDOM



CASTANO NATURAL


600X1200MM
GLOSSY SURFACE
04 RANDOM



BACK TO INDEX



CASTANO NATURAL



CASTEL SEND

600X1200MM
GLOSSY SURFACE
04 RANDOM



CHARCOAL BROWN

600X1200MM
GLOSSY SURFACE
04 RANDOM





BACK TO INDEX



CHAVROL MIX

600X1200MM
GLOSSY SURFACE
03 RANDOM



CRISTA CHOCO


600X1200MM
GLOSSY SURFACE
04 RANDOM



BACK TO INDEX





CRISTA CHOCO



DISNEY NATURAL

600X1200MM
GLOSSY SURFACE
04 RANDOM



DISNEY PEARL

600X1200MM
GLOSSY SURFACE
04 RANDOM



BACK TO INDEX



DYNA CAMEL

600X1200MM
GLOSSY SURFACE
03 RANDOM



ELICA SILVER

600X1200MM
GLOSSY SURFACE
04 RANDOM



BACK TO INDEX




ELICA SILVER



ELICA WHITE

600X1200MM
GLOSSY SURFACE
04 RANDOM



FUSION GOLDEN BROWN

600X1200MM
GLOSSY SURFACE
04 RANDOM



BACK TO INDEX



HERMES BEIGE

600X1200MM
GLOSSY SURFACE
04 RANDOM



HERMES BROWN

600X1200MM
GLOSSY SURFACE
04 RANDOM



BACK TO INDEX




HERMES BROWN



HERMES DOVE

600X1200MM
GLOSSY SURFACE
04 RANDOM




HERMES NERO

600X1200MM
GLOSSY SURFACE
04 RANDOM



BACK TO INDEX



JORDEN BLACK

600X1200MM
GLOSSY SURFACE
04 RANDOM





LEGACY CREMA

600X1200MM
GLOSSY SURFACE
03 RANDOM







LEGACY CREMA



LEVIN BROWN

600X1200MM
GLOSSY SURFACE
04 RANDOM



LEVIN CHOCO

600X1200MM
GLOSSY SURFACE
04 RANDOM



BACK TO INDEX



LUMOS IVORY

600X1200MM
GLOSSY SURFACE
04 RANDOM



LUMOS MUD


600X1200MM
GLOSSY SURFACE
04 RANDOM



BACK TO INDEX





LUMOS MUD




**MAIMOON ONYX
BROWN**

600X1200MM
GLOSSY SURFACE
04 RANDOM



MALVIN LEAF

600X1200MM
GLOSSY SURFACE
04 RANDOM



MARPOLO RED

600X1200MM
GLOSSY SURFACE
03 RANDOM



MIJARES BEIGE

600X1200MM
GLOSSY SURFACE
04 RANDOM







MIJARES BEIGE



MIJARES NATURAL

600X1200MM
GLOSSY SURFACE
04 RANDOM



MINES GREY

600X1200MM
GLOSSY SURFACE
03 RANDOM




BACK TO INDEX



PEACH CREMA

600X1200MM
GLOSSY SURFACE
04 RANDOM



PERSIAN GREY


600X1200MM
GLOSSY SURFACE
04 RANDOM



BACK TO INDEX




PERSIAN GREY



PERTH ONYX GREY

600X1200MM
GLOSSY SURFACE
04 RANDOM




REPEN SKY

600X1200MM
GLOSSY SURFACE
04 RANDOM




BACK TO INDEX



REPEN WHITE

600X1200MM
GLOSSY SURFACE
03 RANDOM




ROSSA GREY DARK

600X1200MM
GLOSSY SURFACE
04 RANDOM







ROSSA GREY DARK



ROSSA GREY LIGHT

600X1200MM
GLOSSY SURFACE
04 RANDOM



ROSSIL MARFILA

600X1200MM
GLOSSY SURFACE
04 RANDOM



BACK TO INDEX



ROWER GREY

600X1200MM
GLOSSY SURFACE
03 RANDOM



SALTOS GOLD

600X1200MM
GLOSSY SURFACE
04 RANDOM



BACK TO INDEX





SALTOS GOLD



SANTIAGO LIGHT


600X1200MM
GLOSSY SURFACE
03 RANDOM




SISCON FOREST

600X1200MM
GLOSSY SURFACE
04 RANDOM





TRESORA BIANCO




TRESORA GREY

TRESORA GREY DECOR

600X1200MM
GLOSSY SURFACE



TRESORA IVORY



TRESORA CHOCO

TRESORA CHOCO DECOR

600X1200MM
GLOSSY SURFACE



BACK TO INDEX



TRESORA CHOCO DECOR



TRINITY BEIGE

600X1200MM
GLOSSY SURFACE
04 RANDOM





TRINITY BIANCO

600X1200MM
GLOSSY SURFACE
04 RANDOM





BACK TO INDEX



TRINITY BROWN

600X1200MM
GLOSSY SURFACE
04 RANDOM



TRINITY GREY

600X1200MM
GLOSSY SURFACE
04 RANDOM



BACK TO INDEX



TRINITY GREY

TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO13006:2018/ EN14411 Gr.Bla	MEAN VALUE	TEST METHOD
Regulatory Properties			
Deviation in length and width	± 0.30 % (±1.00mm)	± 0.10 %	ISO 10545-2
Deviation in thickness	± 5.00 % (±0.50mm)	± 4.00 %	ISO 10545-2
Straightness in side	± 0.30 % (±0.80mm)	± 0.10 %	ISO 10545-2
Rectangularity	± 0.30 % (±1.50mm)	± 0.10 %	ISO 10545-2
Surface flatness central curvature	± 0.40 % (±1.80mm)	± 0.20 %	ISO 10545-2
Surface flatness edge curvature	± 0.40 % (±1.80mm)	± 0.20 %	ISO 10545-2
Surface flatness warpage	± 0.40 % (±1.80mm)	± 0.10 %	ISO 10545-2
Surface quality	> 95% defects free	> 95% defects free	ISO 10545-2
Small Color Difference(For Plain Color)	$\Delta E < 1.00$	$\Delta E < 0.30$	ISO 10545-16
Glossiness (Polished)	as per mfg.	Gloss Value > 90	Glossmeter 60°
Glossiness (Matt)	as per mfg.	3° < GLOSS < 7°	Glossmeter 60°
Glossiness (satin/Polish)	as per mfg.	7° < GLOSS < 18°	Glossmeter 60°
Structural Properties			
Water absorption	0.50 % ≤ Ev ≤ 3.00 %	0.060 % ≤ Ev ≤ 3.00 %	ISO 10545-3
Bulk density	as per mfg.	> 2.28 gm/c c	ISO 10545-3
Massive Mechanical Properties			
Modulus of rupture	Min. 30.0 N/mm ²	Min. 35.0 N/mm ²	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 700.0 N	Min. 1000.0 N	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 1100.0 N	Min. 1300.0 N	ISO 10545-4
Breaking strength thickness ≥7.5(For ≥15mm)	Min. 1100.0 N	Min. 1800.0 N	ISO 10545-4
Surface Mechanical Properties			
MOH'S hardness	as per mfg.	Polished Min 4* / Satin, Polish & Matt Min 6	BS EN 15771
Surface abrasion resistance	as per mfg.	Polish Min. Class 2, Satin & Polish Min. Class 3, & Matt Min. Class 4	ISO 10545-7
Deep abrasion resistance	Max. 175mm ³	Max. 132mm ³	ISO 10545-6
Thermal Hydrometric Properties			
Moisture expansion	Max. 0.06%(0.6mm/m)	0.02mm/m	ISO 10545-10
Thermal expansion(COE) at 100°C	as per mfg.	Max. 6.0 x 10 ⁻⁶	ISO 10545-8
Thermal shock resistance	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-9
Impact resistance(COR)	Min. 0.55	Min. 0.55	ISO 10545-5
Frost resistance	as per mfg.	Frost Proof	ISO 10545-12
Chemical Properties			
Resistance to staining glazed	Min. Class 3	Min. Class 4	ISO 10545-14
Resistance to household chemicals & swimming pool salts glazed	Min. Class GB	Min. Class GA	ISO 10545-13
Resistance to low concentrate acid and alkalis glazed	as per mfg.	Min. Class GLA**	ISO 10545-13
Resistance to high concentrate acid and alkalis unglazed	as per mfg.	Min. Class GHB**	ISO 10545-13
Safety Properties			
Skid resistance (COF -WET PENDULAM)##	as per mfg.	Glossy P0(<12), Satin, Polish ≥P1(12-24) Matt ≥P2(25-34)	BS 7976-2
Slip resistance - (Satin / Matt (DCOF) (R value)##	as per mfg.	R9 to R13**	DIN 51130
Fire resistance	as per mfg.	Fire Proof	N.A.

PACKING DETAILS

PRODUCT	SIZE	THICKNESS	TILES / BOX	COVERED AREA / BOX	WEIGHT
GVT-PGVT	600X 1200mm	9mm (Approx)	2Pcs	1.44 sq. mtr	27 KG (Approx)

Instruction

This is for all our customers to inform you that in bookmatch & 3d designs that will not be 100% joint free
There will be a minimum variation around 5 mm due to some technical reasons. So we will not entertain any complain regarding this



Supera Granito PVT. LTD.

Survey No. 25/p2, 26, 27/p1,27/p2,27/p3,28/p 1 And 28/p2 ,
8-a, National Highway, Sartanpar Road,
At Sartanpar, Wankaner, Gujarat - 363621.

☎ +91 81417 13777

✉ info@superagranito.com

🌐 www.superagranito.com