


**Supera**<sup>®</sup>  
Granito



| **600X1200MM**

**MARMORA**  
COLLECTION

## Our Focus


Excellence in Every  
Detail, Commitment  
in Every Tile.

## We Produce 600x1200mm Tiles

Our tiles are more than just a beautiful addition to your space—they are a lasting investment in quality. Each tile is carefully crafted to combine sophisticated design with unmatched strength, ensuring that your floors and walls remain stunning for years to come. Whether you're creating a lavish bathroom, a stylish kitchen, or an elegant living area, our tiles are built to withstand the test of time. Experience the perfect balance of luxury and durability, where every step you take is on a surface that embodies both beauty and resilience.

**Step into Luxury,  
Stay for the Durability.**

[www.superagranito.com](http://www.superagranito.com)



**Supera**<sup>®</sup>  
Granito





## Application Area

---

---

Tiles are versatile and suitable for a wide range of applications, enhancing both functionality and aesthetics. Adding a touch of elegance and durability to homes and commercial spaces. Ideal for kitchens, bathrooms, living rooms, and outdoor patios, tiles provide a seamless and stylish finish for any area.



Office Area



Hospital Area




Restaurant



Living Area



Airport Area



Reception Area





UV Resistant



Chemical Resistant



Easy To Clean



Eco Friendly



Temperature Resistance



Bacteria Free

## Technical Features

Tiles are versatile and suitable for a wide range of applications, enhancing both functionality and aesthetics, adding a touch of elegance and durability to homes and commercial spaces. Ideal for kitchens, bathrooms, living rooms, and outdoor patios, tiles provide a seamless and stylish finish for any area. The smooth surface enhances light reflection.

**Supera**<sup>®</sup>  
Granito



**PRODUCT INDEX**

 **IT'S CLICKABLE CATALOGS**



ARCTIC  
IVORY



ARCTIC  
STATUARIO



BOSCO  
WHITE



CALACATTA  
CALDO



CORAS  
STATUARIO



GOLDEN  
CALACATTA



GROVEL  
WHITE



KENDO  
WHITE




KEROL  
STATUARIO



LAVELLO  
GREY




LEO GREY



LUCKY CLOUDS  
STATUARIO




LUXOMA  
BLACK



MACY  
CALACATTA



MAHAVIR  
SATUARIO



MEDECIA  
STATUARIO



PARADISE  
WHITE



SILVER  
STATUARIO




SIRICO  
GOLD



SOFIA  
WHITE



SOFITA  
NATURAL



SONET  
WHITE




SPINO  
BIANCO



STATUARIO  
PLATINA



SWISS  
CARRARA



TURKUL  
ORANGE



UMBERT  
WHITE



ZARA  
WHITE




ZURICH  
STATUARIO

*Glimpse of...*



**ARTIC  
IVORY**



600X  
1200MM

SURFACE : **GLOSSY ENDLESS**

3 RANDOM FACES




BACK TO INDEX



**ARTIC IVORY**

SURFACE :  
**GLOSSY ENDLESS**

**3**  
RANDOM FACES





**ARTIC STATUARIO**

SURFACE :  
**GLOSSY ENDLESS**

**3**  
RANDOM FACES

600X  
1200MM






**ARTIC IVORY**



**BOSCO WHITE**


SURFACE :  
**GLOSSY ENDLESS**



**CALACATTA CALDO**

SURFACE :  
**GLOSSY RANDOM**

**4**  
RANDOM FACES



600X  
1200MM




BACK TO INDEX

*Glimpse of...*



# CORAS STATUARIO




600X  
1200MM

SURFACE : **GLOSSY RANDOM**

4 RANDOM FACES




BACK TO INDEX



**CORAS STATUARIO**

SURFACE :  
**GLOSSY RANDOM**

**4**  
RANDOM FACES




600X  
1200MM

**GOLDEN CALACATTA**

SURFACE :  
**GLOSSY ENDLESS**

**4**  
RANDOM FACES






**CORAS STATUARIO**



**GROVEL WHITE**

SURFACE :  
**GLOSSY ENDLESS**

**4**  
RANDOM FACES





600X  
1200MM

**KENDO WHITE**

SURFACE :  
**GLOSSY RANDOM**


**4**  
RANDOM FACES



*Glimpse of...*



# KEROL STATUARIO



600X  
1200MM

SURFACE : **GLOSSY RANDOM**

3 RANDOM FACES



BACK TO INDEX



**KEROL STATUARIO**

SURFACE :  
**GLOSSY RANDOM**

**3**  
RANDOM FACES





600X  
1200MM

**LAVELLO GREY**


SURFACE :  
**GLOSSY RANDOM**

**5**  
RANDOM FACES





**KEROL STATUARIO**



**LEO GREY**

SURFACE :  
**GLOSSY ENDLESS**

**3**  
RANDOM FACES



600X  
1200MM

**LUCKY CLOUDS STATUARIO**

SURFACE :  
**GLOSSY ENDLESS**


**4**  
RANDOM FACES



*Glimpse of...*



**LUXOMA  
BLACK**




600X  
1200MM

SURFACE : **GLOSSY RANDOM**

4 RANDOM FACES



BACK TO INDEX



**LUXOMA BLACK**

SURFACE :  
**GLOSSY RANDOM**

**4**  
RANDOM FACES





600X  
1200MM

**MACY CALACATTA**


SURFACE :  
**GLOSSY ENDLESS**

**4**  
RANDOM FACES





LUXOMA BLACK



**MAHAVIR SATUARIO**

SURFACE :  
**GLOSSY ENDLESS**


**4**  
RANDOM FACES



**MEDECIA STATUARIO**

SURFACE :  
**GLOSSY ENDLESS**

**4**  
RANDOM FACES



600X  
1200MM




BACK TO INDEX

*Glimpse of...*



**PARADISE  
WHITE**




600X  
1200MM

SURFACE : **GLOSSY RANDOM**

4 RANDOM FACES




BACK TO INDEX



**PARADISE WHITE**

SURFACE :  
**GLOSSY RANDOM**



**4**  
RANDOM FACES



**SILVER STATUARIO**

SURFACE :  
**GLOSSY ENDLESS**

**3**  
RANDOM FACES




600X  
1200MM






PARADISE WHITE



**SIRICO GOLD**

SURFACE :  
**GLOSSY RANDOM**

**4**  
RANDOM FACES





600X  
1200MM

**SOFIA WHITE**

SURFACE :  
**GLOSSY RANDOM**


**4**  
RANDOM FACES



*Glimpse of...*



**SOFITA  
NATURAL**



600X  
1200MM

SURFACE : **GLOSSY RANDOM**

4 RANDOM FACES




BACK TO INDEX



**SOFITA NATURAL**

SURFACE :  
**GLOSSY RANDOM**

**4**  
RANDOM FACES



600X  
1200MM

**SONET WHITE**


SURFACE :  
**GLOSSY ENDLESS**

**4**  
RANDOM FACES






**SOFITA NATURAL**



**SPINO BIANCO**

SURFACE :  
**GLOSSY ENDLESS**

**5**  
RANDOM FACES




600X  
1200MM

**STATUARIO PLATINA**

SURFACE :  
**GLOSSY ENDLESS**


**3**  
RANDOM FACES



*Glimpse of...*



# SWISS CARRARA



600X  
1200MM

SURFACE : **GLOSSY ENDLESS**

4 RANDOM FACES



BACK TO INDEX



**SWISS CARRARA**

SURFACE :  
**GLOSSY ENDLESS**

**4**  
RANDOM FACES





600X  
1200MM

**TURKUL ORANGE**

SURFACE :  
**GLOSSY RANDOM**

**3**  
RANDOM FACES






**SWISS CARRARA**



**UMBERT WHITE**

SURFACE :  
**GLOSSY RANDOM**

**4**  
RANDOM FACES





600X  
1200MM

**ZARA WHITE**

SURFACE :  
**GLOSSY RANDOM**


**4**  
RANDOM FACES



*Glimpse of...*



# ZURICH STATUARIO



600X  
1200MM

SURFACE : **GLOSSY RANDOM**

4 RANDOM FACES




BACK TO INDEX



**ZURICH STATUARIO**

SURFACE :  
**GLOSSY RANDOM**

**4**  
RANDOM FACES



600X  
1200MM



BACK TO INDEX



ZURICH STATUARIO

## TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO13006:2018/ EN14411 Gr.Bla	MEAN VALUE	TEST METHOD
<b>Regulatory Properties</b>			
Deviation in length and width	± 0.30 % (±1.00mm)	± 0.10 %	ISO 10545-2
Deviation in thickness	± 5.00 % (±0.50mm)	± 4.00 %	ISO 10545-2
Straightness in side	± 0.30 % (±0.80mm)	± 0.10 %	ISO 10545-2
Rectangularity	± 0.30 % (±1.50mm)	± 0.10 %	ISO 10545-2
Surface flatness central curvature	± 0.40 % (±1.80mm)	± 0.20 %	ISO 10545-2
Surface flatness edge curvature	± 0.40 % (±1.80mm)	± 0.20 %	ISO 10545-2
Surface flatness warpage	± 0.40 % (±1.80mm)	± 0.10 %	ISO 10545-2
Surface quality	> 95% defects free	> 95% defects free	ISO 10545-2
Small Color Difference(For Plain Color)	$\Delta E < 1.00$	$\Delta E < 0.30$	ISO 10545-16
Glossiness (Polished)	as per mfg.	Gloss Value > 90	Glossmeter 60°
Glossiness (Matt)	as per mfg.	3° < GLOSS < 7°	Glossmeter 60°
Glossiness (satin/Polish)	as per mfg.	7° < GLOSS < 18°	Glossmeter 60°
<b>Structural Properties</b>			
Water absorption	0.50 % ≤ Ev ≤ 3.00 %	0.060 % ≤ Ev ≤ 3.00 %	ISO 10545-3
Bulk density	as per mfg.	> 2.28 gm/cm <sup>3</sup>	ISO 10545-3
<b>Massive Mechanical Properties</b>			
Modulus of rupture	Min. 30.0 N/mm <sup>2</sup>	Min. 35.0 N/mm <sup>2</sup>	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 700.0 N	Min. 1000.0 N	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 1100.0 N	Min. 1300.0 N	ISO 10545-4
Breaking strength thickness ≥7.5(For ≥15mm)	Min. 1100.0 N	Min. 1800.0 N	ISO 10545-4
<b>Surface Mechanical Properties</b>			
MOH'S hardness	as per mfg.	Polished Min 4* / Satin, Polish & Matt Min 6	BS EN 15771
Surface abrasion resistance	as per mfg.	Polish Min. Class 2, Satin & Polish Min. Class 3, & Matt Min. Class 4	ISO 10545-7
Deep abrasion resistance	Max. 175mm <sup>3</sup>	Max. 132mm <sup>3</sup>	ISO 10545-6
<b>Thermal Hydrometric Properties</b>			
Moisture expansion	Max. 0.06%(0.6mm/m)	0.02mm/m	ISO 10545-10
Thermal expansion(COE) at 100°C	as per mfg.	Max. 6.0 x 10 <sup>-6</sup>	ISO 10545-8
Thermal shock resistance	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-9
Impact resistance(COR)	Min. 0.55	Min. 0.55	ISO 10545-5
Frost resistance	as per mfg.	Frost Proof	ISO 10545-12
<b>Chemical Properties</b>			
Resistance to staining glazed	Min. Class 3	Min. Class 4	ISO 10545-14
Resistance to household chemicals & swimming pool salts glazed	Min. Class GB	Min. Class GA	ISO 10545-13
Resistance to low concentrate acid and alkalis glazed	as per mfg.	Min. Class GLA**	ISO 10545-13
Resistance to high concentrate acid and alkalis unglazed	as per mfg.	Min. Class GHB**	ISO 10545-13
<b>Safety Properties</b>			
Skid resistance (COF -WET PENDULAM)##	as per mfg.	Glossy P0(<12), Satin, Polish ≥P1(12-24) Matt ≥P2(25-34)	BS 7976-2
Slip resistance - (Satin / Matt (DCOF) (R value)##	as per mfg.	R9 to R13**	DIN 51130
Fire resistance	as per mfg.	Fire Proof	N.A.


## PACKING DETAILS

PRODUCT	SIZE	THICKNESS	TILES / BOX	COVERED AREA / BOX	WEIGHT
<b>GVT-PGVT</b>	<b>600X 1200mm</b>	<b>9mm (APPROX)</b>	<b>2Pcs-</b>	<b>1.44 sq. mtr.</b>	<b>27 KG (APPROX)</b>

### Instruction

This is for all our customers to inform you that in bookmatch & 3d designs that will not be 100% joint free

There will be a minimum variation around 5 mm due to some technical reasons. So we will not entertain any complain regarding this



**Supera**<sup>®</sup>  
Granito

---

**Supera Granito LLP.**

Survey No. 25/p2, 26, 27/p1,27/p2,27/p3,28/p 1 And 28/p2 ,  
8-a, National Highway, Sartanpar Road,  
At Sartanpar, Wankaner, Gujarat - 363621.

---

☎ +91 81417 13777

✉ info@superagranito.com

🌐 www.superagranito.com